



**MANUFACTURER**  
TERMA ARTUR DARIUSZ  
I HELENA SZYMANIUK  
SPÓŁKA JAWNA  
UL. POZNAŃSKA 42A  
76-200 SŁUPSK

**UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE**  
EXTERNAL WINDOWS AND DOORS  
WITHOUT RESISTANCE TO FIRE AND/OR SMOKE  
LEAKAGE CHARACTERISTICS  
ARTLINE SYSTEM

**NOTIFIED BODY**  
№ 0757  
I:R ROSENHEIM GMBH  
THEODOR-GIETL-STR. 7-9  
83026 ROSENHEIM

**CONFORMITY ASSESSMENT SYSTEM**  
3



**YEAR OF INTRODUCTION**  
14

**DECLARATION OF PERFORMANCE NO. 8/2015/O**

INTENDER FOR THE USE IN PREMISES OF RESIDENTIAL AND PUBLIC BUILDINGS

ON THE BASIS OF THE LABEL WITH THE SERIAL NUMBER

BASE ON THE HARMONISED TECHNICAL SPECIFICATION EN 14351-1+A1:2010

PRODUCT CODE	RESISTANCE TO WIND LOAD - DEFLECTION OF THE FRAME	RESISTANCE TO WIND LOAD - TEST PRESSURE	WATER/TIGHTNESS - NON-SHIELDED (A)	OPERATING FORCES	MECHANICAL STRENGTH	LOAD BEARING CAPACITY OF SAFETY DEVICES	AIR PERMEABILITY	DAINGEROUS SUBSTANCES
SINGLE-SASH WINDOWS AND BALCONY DOORS	C/B	4	9A	1	4	350 N	Class 4	Nie zawiera
DOUBLE-SASH WINDOWS AND BALCONY DOORS WITH MOVABLE POST	C/B	2	4A	NPD	NPD	350 N	Class 4	Nie zawiera
WINDOWS AND BALCONY DOORS WITH MAXIMUM FOUR SIDE HINGED SASHES	C/B	2	9A	NPD	NPD	350 N	Class 4	Nie zawiera
EXTERNAL DOORS	C/B	2	3A	NPD	NPD	350 N	Class 4	Nie zawiera

THERMAL TRANSMITTANCE OF THE FRAME (W/mK)	W OF THE SPACER (W/mK)			R <sub>w</sub> AIRBORNE SOUND INSULATION OF THE INSULATED GLASS PANEL (dB)	ACOUSTIC PERFORMANCE**			
	W-G-07	W-G-04	W-G-0132		F<math>_{s,7m^2}</math>	FOR THE TOTAL SURFACE AREA OF THE WINDOW (F)	AIRBORNE SOUND INSULATION R <sub>w</sub> (dB)	FOR THE TOTAL SURFACE AREA OF THE WINDOW (F)
1,1	1,2	1,2	1,1	27	30	29	28	27
1,0	1,2	1,1	1,1	28	31	30	29	28
0,9	1,1	1,0	1,0	29	32	31	30	29
0,8	1,0	1,0	0,9	30	33	32	31	30
0,7	1,0	0,9	0,9	32	34	33	32	31
0,6	0,9	0,8	0,8	34	35	34	33	32
0,5	0,83	0,75	0,73	36	36	35	34	33

\* Frame with the size of 1230 x 1480 mm with various glazing and spacers

\*\* Values determined in accordance with section B.3 of the Annex B to EN 14351-1+A1:2010 standard for frames with various types of glazing

NPD – no performance determined

**DYREKTOR**  
*[Signature]*  
mgr inż. Michał Proceń  
Signed on behalf of the manufacturer  
Słupsk, 01/09/2015